

FM/AM Portable CD Player

CD

CD

“ (/) ”

COMPACT
disc
DIGITAL AUDIO



D-FJ737



가

가

.....	4
-------	---

CD	
1.CD	6
2.CD	6
3.CD	7

() 10	
1 (1)	10
() ..	10
(PGM)	11

.....	12
.....	13


G-PROTECTION 15	
(SOUND)	15
(AVLS)	16
(HOLD)	16
.....	17

CD	
.....	18


.....	20
.....	22
.....	22
.....	23

가	
.....	24
.....	24
?	25
.....	27
(/)	29


CD ()




CD ()





CD ()





()




()



CD



3. CD



CD

	▶▶ (-)	▶▶ / ▶▶▶▶
	▶▶ (-)	▶▶
	■ / CHG (-)	■)*2
(AMS)*1	◀◀	*2
(AMS)	◀◀	*2
(AMS)	▶▶▶▶ (-)	▶▶ / ▶▶▶▶
		*2
(AMS)	▶▶▶▶ (-)	▶▶ / ▶▶▶▶
		*2
	◀◀	*2
	▶▶▶▶ (-)	▶▶ / ▶▶▶▶
		*2

*1 Automatic Music Sensor ()

*2

()


• CD 2 **▶||**(- **▶/▶▶I**) CD
 •
 •

• AVLS가 "LIMIT" "NORM"
 " (AVLS)"
 • LINE OUT(OPTICAL) Ω()

1 - VOL()
 2 CD




CD-R/CD-RW
 CD CD-R/CD-RW
 가

CD CD



PLAY MODE

REPEAT/ENTER



()

, 1 , , PGM

REPEAT/ENTER



1

(1)

"1"

PLAY MODE



()

"SHUF"

PLAY

MODE



CD 64


1 MODE "PGM" PLAY



2 ⏮ ⏭



3 REPEAT/ENTER (0.5)
"00" 가1 가



4 2 3

5 ⏪ REPEAT/ENTER

5 REPEAT/ENTER
PGM :
"PGM" PLAY MODE REPEAT/ENTER
REPEAT/ENTER 가



- 3 64
- 64

CD

CD

가


LR03(AAA)

R03(AAA)



가

가



CD


CD

가

CD


FM AM

1 CD/RADIO "RADIO"




2 BAND FM AM

BAND FM ST()
FM MONO()
AM



3 VOL



CD/RADIO CD

- 가 CD/RADIO
- "CD" CD
- CD/RADIO "RADIO" CD

CD/RADIO

FM



AM



• AC

• 가 , , , CD 가

G-PROTECTION

G-PROTECTION

G-PROTECTION() "ON"

G-PROTECTION



OFF ON

CD

OPEN

G-PROTECTION

G-PROTECTION "OFF"



가 :

- CD
가


- CD

- CD-R/CD-RW 가

(SOUND)

SOUND
"BASS ■■■"

"BASS ■"



가

"BASS ■■■"

"BASS ■"


SOUND

(AVLS)

AVLS(Automatic Volume Limiter System,)

AVLS "LIMIT"

AVLS 
NORM LIMIT



AVLS
AVLS "NORM"

(HOLD)

CD

HOLD



HOLD

HOLD CD

HOLD가
CD

HOLD


CD /

1 CD (AC ,)

2 CD ■/CHG -

■/CHG ■

CD
CD



- CD 가
- AC 가 가
- 가
- 가
- CD , DAT CD
- G-PROTECTION SOUND
- CD PROTECTION "OFF" G-
- SOUND (OPTICAL) LINE OUT

(CD)

CD

가 CD

CD

Sony MD Walkman

(MZ-R900/R909)

CD MD

(POC-15B ,) RK-

TXT1 CD ()

MD Walkman



- AC ("CD ")
- LR6(AA)


" "




. CD

- NC-WMAA
- NH-WM2AA


1 CD



2 2 ⊕




3 AC CD EXT
BATT/DC IN 4.5 V AC
■/CHG




CD 가 "CHG" 가
가 "CHG" 가
"Full" ■/CHG 가

4 AC



가

가




가

가

가

가



.1

4 1

가



CD

- LR6(AA)

AC

1

2 LR6(AA) 2

⊕



가



Lo batt*

가

*

가

CD

CD


AC

1

LR6(AA)


⊕

2



2

CD



CD

AC

- (/)” AC “ AC AC



• AC

• AC

-
-
-

가

-
-

가

-
-

가

▶ 가

• CD

• DC IN 4.5 V()

CD

• CD 가

CD

가

• CD

가 CD CD가

• CD

가 , 가 , 가

• CD


CD

• CD (,)
가 CD 가

CD

• CD

• CD



• CD

. CD

?

가 가 Sony

CD

VOLUME +	→ AVLS	"NORM"	(.16)
	→	LINE OUT(OPTICAL)	
		Ω()	(.6)
	→	LINE OUT(OPTICAL)	
	→ CD	Ω()	(.6 VOL)
			(.7)
가	→		(.6)
	→	가	
	→	가	
	→	(.22)	
	→	LR6(AA)	
		(.22)	
	→	(20, 21)	
▶▶ batt" CD가	"00"	"Lo 가	(.20, 21)
		LR6(AA)	
		(.22)	
	"HI dc In"	" (/)"	AC (.29)
			AC (.6, 20-23)
CD	CD	HOLD	(.16)
CD가	"no dISC"가	→ CD가	(.24)
		→ CD	
		(6)	
		→ CD	
		→	(.20)
		→	
		(20-23)	
		→ AC AC	
		(6)	
		→ CD-R/CD-RW	CD-R/CD-RW
		→ CD-R/CD-RW	가

가

()

"Hold"가	CD가	→	.(16)	HOLD
-	CD	→	-	HOLD
		→	CD/RADIO	.(16)
		→	"CD"가 CD	.(13)
가		→	.(18)	DAT
CD		→	■/CHG	.(20)
.()		→		▶ CD
			20-23	AC .(6,)

		→	"RADIO" CD/RADIO	가 "CD" .(13)
CD		→	CD	CD
			CD	CD
			LR6(AA)	.(22)
VOL		→	/	가 REMOTE Ω()
		→	CD	AC
		→	-	CD
		→	-	
		→	-	
CD	가	→	CD/RADIO "RADIO" "CD"	"CD"

: GaAlAs
 : $\lambda = 780 \text{ nm}$
 :
 : $44.6 \mu\text{W}$ ()
 7 | 7 mm
 200 mm
 .)
 D-A
 1
 20 - 20 000 Hz $_{-2}^{+1}$ dB (JEITA CP-307)
 (4.5 V)
 ()
 47 0.7 V rms
 10
 ()
 16 5 mW + 5 mW
 ()
 : -21 ~ -15 dBm
 : 630 ~ 690 nm
 (-)
 FM: 87.5 - 108.0 MHz
 AM: 531 - 1 602 kHz

- CD :
- Sony NC-WMAA 2 :
2.4 V DC
 - Sony NH-WM2AA :
2.4 V DC
 - LR6(AA) 2 : 3 V DC
 - AC (DC IN 4.5 V):
U2/U/CA2/E92/MX2/TW2/BR3 :
120 V, 60 Hz
CED/CET/CEW/CEX/CE7/EE/EE1/
E13/G5/G6/G7/G8/BR1 :
220 - 230 V, 50/60 Hz
CEK/3CE7 : 230 - 240 V, 50 Hz
AU2 : 240 V, 50 Hz
JE.W/E33/EA3/KR4 : 100 - 240 V,
50/60 Hz
HK2 : 220 V, 50/60 Hz
AR1/CN2 : 220 V, 50 Hz
- ():
• R03(AAA) 1 : 1.5 V DC

*()

(CD)
CD

5°C - 35°C

(w/h/d)()

G-PROTECTION

NC-WMAA 2 (3 **)	8	10
----------------------	---	----

NH-WM2AA (5 **)	20	22
---------------------	----	----

Sony LR6(SG) 2	35	38
-------------------	----	----

Sony LR6(SG) 4	82	86
-------------------	----	----

	44	50
--	----	----

NC-WMAA 2 Sony LR6(SG) 2		
--------------------------------	--	--

	54	64
--	----	----

NH-WM2AA Sony LR6(SG) 2		
-------------------------------	--	--

Sony LR03(SG)	25	
------------------	----	--

Sony R03(SB)	10	
-----------------	----	--

CD :
131.6 × 25.5 × 140.9 mm
- :
53 × 60 × 22.5 mm

CD ():
193 g
- ():
30 g

가 .

* JEITA (Japan Electronics and Information Technology Industries Association)

**

(/)

/
가

CD

가


AC (1) / (1)

(1) / (1)

(2) (1)

(1) (1)

(1)



가

AC	AC-E45HG
	SRS-Z1
	SRS-Z500
	DCC-E345
	DCC-E34CP
	CPA-9C
	RK-G129
	RK-G136
	POC-15B
	POC-15AB
CD	RK-TXT1
	NH-WM2AA
	MDR-E848LP
	MDR-EX70LP
	MDR-A44L
	MDR-A110LP

가

<http://www.world.sony.com/>

Sony Corporation Printed in Malaysia